

CLARK COUNTY FIRE DEPARTMENT

Fire Hazard & Prevention Services



575 E. Flamingo Road, Ls Vegas, NV 89119 (702) 455-7316 FAX (702) 455-7347

105.8.h.3-1

TITLE: HOT-WORK OPERATIONS PERMIT/PLAN SUBMITTAL NON-

RENEWABLE (SIX MONTHS OR LESS)

SCOPE: Sites containing hot-work operations shall comply with Article 49 of the

2005 Clark County Fire Code and this guideline.

PURPOSE: To provide standardized Clark County Fire Department requirements

relating to hot-work operations conducted at a specific location for a limited duration, (maximum six months) which include cutting, welding, brazing, use of open torch, glass blowing, grinding, torch applied roofing, and similar operations where sparks, hot slag, radiant or convective heat are produced.

SPECIFICATIONS AND REQUIREMENTS

A permit shall be obtained from the Clark County Fire Department (CCFD), Fire & Hazard Prevention Services Division to conduct hot work operations, including but not limited to:

- 1. Public exhibitions and demonstrations where hot-works is conducted.
- 2. Use of portable hot-work equipment inside a structure.
- 3. Fixed-site hot-work equipment such as welding booths.
- 4. Hot-works conducted within a Hazardous Fire Area.

The Fire Department permit/plan review fee of \$75.00 and a completed application form, will accompany submittal package. Package may be submitted for expedite review for an additional fee of \$85.00 per hour of review and will accompany submittal package. Additional fees may apply and will be collected after review of plans. If approved, an inspection will need to be scheduled. All inspections are scheduled on our web site at http://www.accessclarkcounty.com/fire/firedept.htm Click on "Online Inspection Scheduling" and follow the instructions.

Three submittal packages are required to be submitted to CCFD Plans Intake and shall include the following:

- 1. Provide a floor plan of the building indicating the following information:
 - a. Location and type of hot-work operation and equipment in relation to combustible materials, elevators, stairs, gangways, means of egress, building openings or ventilation openings. A minimum of 35' separation shall be provided or approved shielding shown.
 - b. Location, type and volume (in cubic feet) of compressed gas cylinders if used.
 - c. Location of ventilation equipment if provided.
 - d. Location of minimum rated 2A 20-B:C fire extinguishers or charged water hose equipped with a nozzle. Must be within 30 feet of operation and accessible without climbing stairs or ladders.
- 2. Provide a fire watch in accordance with Article 49 of the Clark County Fire Code 2005 edition.
- 3. Provide a detailed narrative indicating type of work performed at location.
- 4. Maintain a completed (signed) HOT-WORK OPERATIONS/FIRE WATCH PROCEDURES AND SAFETY SIGN-OFF SHEET at the job site.
- 5. Provide "set-up" &" tear down" dates of event.



CLARK COUNTY FIRE DEPARTMENT

Fire Hazard & Prevention Services



575 E. Flamingo Road, Ls Vegas, NV 89119 (702) 455-7316 FAX (702) 455-7347

TITLE:	Hot –Work Operations/Fire Watch Procedures and Safety Sign-off Sheet	
SCOPE:	Hot work operations shall be in accordance with this guide and the requirements contained in the 2005 Clark County Fire Code	
PURPOSE:	To provide standardized sign-off sheet for the Clark County Fire Department (CCFD) requirements relating to conducting hot work operations.	
SPECIFICATIONS AND REQUIREMENTS		
Business Name of Contractor Conducting the Hot Work:		
Business Address of Contractor Conducting the Hot Work:		
Business Name for Hot Works Location		
Business Address for Hot Works Location		
CCFD Hot Work Permit Number:		
Dates of Hot Work Operation Conducted: Start: End:		
Permit Expi	ration Date: From:To:	
Conducting Hot Work Operations- The use of welding, cutting and other hot-work equipment shall be in accordance with Article 49 of the 2005 Clark County Fire Code.		

<u>Fire watch - Shall be provided during hot-work activities and shall continue for a minimum of 30 minutes after the conclusion of the work.</u>

The fire watch shall include the entire hot-work area. Hot-work conducted in areas that include horizontal or vertical fire exposures that are not observable by a single individual shall have additional personnel assigned to fire watch to ensure that exposed areas are monitored.

Individuals designated to fire watch duty shall have fire extinguishing equipment readily available and shall be trained in the use of such equipment. Individuals assigned to fire watch duty shall be responsible for extinguishing spot type fires and communicating an alarm. No other duties shall be assigned to personnel performing fire watch duty.

Fire watch is not required when the hot-work area has no fire hazards or combustible exposures. However, a final check is required 30 minutes after completion of operation to detect and extinguish smoldering fires.

<u>Hot-work Area</u> – Hot work shall not be conducted in areas where flammable/combustible atmospheres may be present. Some examples include, but are not limited to, flammable liquids or vapors, lint, dust, or combustible storage. Appropriate shielding shall be provided to prevent ignition of combustibles materials.

<u>Hot-work Equipment</u> - Shall be inspected by the operator prior to use. Equipment shall be in good repair and in proper operating condition.

<u>The Hot-work Site</u> - Shall be inspected by the individual responsible for the hot work for compliance.

The inspection of the hot-work site shall ensure that:

- Notify facility personnel (owner/owner representative) providing location, type of work to be performed, duration of hot-work operations on a daily basis, AND FOLLOW ALL THE IN-HOUSE INTERNAL HOT WORK PROCEDURES.
- 2. The hot-work site is clear of combustibles or that combustibles are protected;
- 3. Exposed construction is of noncombustible materials or that combustible materials within 35' are protected;
- 4. Openings within 35' are protected;
- 5. Floors within 35' are kept clean;
- 6. There are no exposed combustibles on the opposite side of partitions, walls, ceilings and floors;
- 7. If hot work area is accessible to anyone other than operator of hot work equipment, warning sign(s) stating "CAUTION HOT WORK IN PROCESS STAY CLEAR" must be displayed.
- 8. Fire watches are assigned, equipped and trained; and
- 9. Fire extinguishers or charged water hose shall be verified as operable and available.
- 10. Actions have been taken to prevent accidental activation of suppression & detection equipment.

11. If any of these conditions cannot be met, then the hot-work operation shall not be performed.

Fire Watch Personnel Qualifications:

- Be physically capable and willing to walk the building during the duration of the shift.
 The floor should be walked in a time period not to exceed 5 minutes, with the entire building being toured every 15 minutes.
- 2. Walk the designated hot work areas and other fire exposures continuously during the entire hot work operations (except for breaks) and continue fire watch 30 minutes after the conclusion of the work. Replacement fire watch personnel must be provided to continue fire watch during personnel breaks.
- 3. Be equipped with, and able to use a bullhorn (or other loud sounding device), flashlight, remote radio and cellular phone.
- 4. Be capable of and willing to assist employees vacating the building in an emergency situation while utilizing a flashlight to illuminate the path of egress for evacuating employees.
- 5. Be trained in the use of a portable fire extinguisher and capable of extinguishing a small incipient fire utilizing a portable fire extinguisher.
- 6. Be instructed in and be familiar with emergency notification and evacuation procedures and capable of notifying employees of an emergency and then assisting employees to evacuate the building. All fire watch personnel on the property are responsible for responding immediately to any building where a fire condition is discovered. Upon discovery of a fire, fire watch personnel shall contact the Clark County Fire Department immediately (Dial 9-1-1), then advise all other fire watch personnel of the emergency in order to obtain their assistance in notifying and evacuating employees.

3 (advise all other fire watch personnel of the emergency e in notifying and evacuating employees.
(Print Na	me, Title, Contact Phone Number)
	ee to follow the fire watch procedures for hot works and procedures listed above. This document shall be duced upon request.
Signature	Date