



CLARK COUNTY FIRE DEPARTMENT

Fire Prevention Bureau

575 E. Flamingo Road, Las Vegas, NV 89119

(702) 455-7316 FAX (702) 455-7347



105.8.a4

TITLE: ASBESTOS REMOVAL PERMIT - Guideline

SCOPE: Building alteration or demolition operations involving the removal of Asbestos-containing materials from buildings shall be in accordance with this guideline.

PURPOSE: To standardize fire department requirements relating to the combined plans check and permit for asbestos removal operations.

SPECIFICATIONS AND REQUIREMENTS:

Building alteration or demolition operations involving the removal of Asbestos-containing materials from buildings in Clark County are required to be permitted by the Clark County Fire Department

At the time of permit application, three (3) sets of plans, drawn to an indicated scale, must be submitted for review and approval. The standard permit fee is due upon submittal. Please see the **Clark County Fire Department Permit and Service Fee Schedule** for specific information. Please check our website for plan status. Any additional fees will be indicated on the website. Once the plans have been approved and any outstanding fees have been paid, an inspection can be scheduled.

Our website is <http://www.accessclarkcounty.com/fire/firedept.htm>. To check on plan status, click on the "Plan Status" button and follow the instructions. To schedule an inspection, click on "Services" in the teal strip on the top. On the left side under **Inspection**, click on "Fire Inspection" and follow the instructions.

PLANS:

Include a site plan showing exact location of asbestos removal operations relative to property lines and structures. Include location / vicinity map with address.

Plans for asbestos removal shall be legible and drawn to scale (min 1/8") on uniform sheets no larger than 30" by 36", and shall meet all requirements of the 2005 Clark County Fire Code, Article 87 "Fire Safety During Construction, Alteration or Demolition of a Building."

Plans shall contain the following:

1. Notification: When the planned asbestos abatement involves the removal of materials which were used as a feature of the building's fire resistance the plan shall include notification of Development Services.
2. Plastic Film: Indicate type and flame resistance.
3. Signs: Show type and location of approved signs.

After review, two sets of the plans and the permit must be picked up prior to asbestos removal operations. One Fire Department stamped set must be on site and available for review at all times. Permits must be conspicuously posted in public view.

TECHNICAL DATA

Include an estimate of the amount and type of asbestos containing materials to be removed.

OTHER NOTIFICATIONS

The Clark County Department of Air Quality & Environmental Management's: "Asbestos NESHAP Notification of Asbestos Abatement regulations" may require a DAQEM Permit.

EXCEPTIONS

Section 8707 – Asbestos Removal does not apply to the removal of asbestos from:

1. Pumps, valves, gaskets and similar equipment.
2. Pipes, ducts, girders or beams having a length of less than 21 linear feet.
3. Wall or ceiling panels which have an area of less than 10 square feet or a dimension of less than 10 linear feet.
4. Floor tiles when the duration of work can be completed in less than four hours.
5. Group R, Division 3 Occupancies.

INSPECTIONS

Prior to asbestos removal, and before 3 P.M. the day prior to your desired inspection date, schedule a Fire Inspection with your Permit Number at the following website:
<http://www.accessclarkcounty.com/fire/firedept.htm>.

For information call 455-7316.